

INDEX MAPS.

T.16N R.5W 2nd Mer.

| | | | | | | | | | | | | |
|-----|-----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|
| 308 | | | | | | | | | | | | |
| 310 | 6 | 333 | 5 | 328 | 4 | 324 | 3 | 319 | 2 | 315 | 1 | 306 |
| | 335 | 333 | | 328 | | 324 | | 319 | | 314 | | |
| 310 | 7 | 332 | 8 | 328 | 9 | 323 | 10 | 319 | 11 | 314 | 12 | 306 |
| | 335 | 331 | | 327 | | 323 | | 318 | | 313 | | |
| 309 | 18 | 331 | 17 | 327 | 16 | 323 | 15 | 318 | 14 | 313 | 13 | 306 |
| | 334 | 331 | | 327 | | 322 | | 317 | | 313 | | |
| 309 | 19 | 330 | 20 | 326 | 21 | 322 | 22 | 317 | 23 | 312 | 24 | 305 |
| | 334 | 330 | | 326 | | 321 | | 316 | | 312 | | |
| 309 | 30 | 330 | 29 | 325 | 28 | 321 | 27 | 316 | 26 | 311 | 25 | 305 |
| | 333 | 329 | | 325 | | 320 | | 316 | | 311 | | |
| 309 | 31 | 329 | 32 | 325 | 33 | 320 | 34 | 315 | 35 | 311 | 36 | 305 |
| | 307 | 307 | | 307 | | 303 | | 303 | | 303 | | |

T.1N R.6W 2nd Mer.

| | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|
| | 364 | 364 | 363 | 363 | 362 | 362 | | | | | | |
| 367 | 6 | 389 | 5 | 383 | 4 | 379 | 3 | 375 | 2 | 371 | 1 | 362 |
| | 388 | 388 | | 382 | | 379 | | 374 | | 371 | | |
| 366 | 7 | 388 | 8 | 382 | 9 | 378 | 10 | 374 | 11 | 370 | 12 | 361 |
| | 387 | 387 | | 382 | | 378 | | 374 | | 370 | | |
| 366 | 18 | 386 | 17 | 381 | 16 | 377 | 15 | 373 | 14 | 369 | 13 | 361 |
| | 386 | 386 | | 381 | | 377 | | 373 | | 369 | | |
| 365 | 19 | 385 | 20 | 380 | 21 | 377 | 22 | 373 | 23 | 369 | 24 | 360 |
| | 385 | 384 | | 380 | | 376 | | 372 | | 368 | | |
| 365 | 30 | 384 | 29 | 380 | 28 | 376 | 27 | 372 | 26 | 368 | 25 | 360 |
| | 384 | 383 | | 380 | | 376 | | 372 | | 368 | | |
| 364 | 31 | 383 | 32 | 379 | 33 | 375 | 34 | 371 | 35 | 367 | 36 | 359 |
| | 359 | 358 | | 358 | | 358 | | 357 | | 357 | | |

Meandering... 389

The figures on the lines refer to the page.

357

Township N. 1. North of Range N. 6 West 2nd Mer Ind.

Ch. L. 1/4

West South Boundary. or Base Line
 On the Base Line On the South Boundary Sec. 36.
 T. 1 N. R. 6 W.

- 10.00 To a Poplar, 24 in. dia. in the line.
 32.20 To a Buck, 18 in. dia. in the line
 33.60 To a oak 30 links wide, Corner N.
 40.00 Set a post from which
 W Oak 30 in. dia. bears N 37 E 53 links end; & 5
 W Oak 24 " " " S 2 E. 26 " "
 51.60 To a W Oak 30 in. dia. in the line.
 56.60 To a Spring Run corner N.
 69.10 " Gum 12 in. dia. stands in the line.
 80.00 Set a post for the corner of sec 35 & 36 from which
 Hickory 16 in. dia. bears S 16 E. 33 links end; & 5
 W Oak, 24 " " " N 64 W. 108 " "
 This mile level land; Timber Oak, Hickory, Buck, Poplar
 Logwood & Erie Mudling.

West On the South Boundary of Sec. 35. Base Line.
 T. N. 1. R. N. 6 W.

- 18.10 To a Sugar, 20 in. dia. in the line.
 40.00 Set a post from which
 Hickory 16 in. dia. bears N 15 W. 24 links end; & 5
 Gum. 12 " " " S 34 W. 39 " "
 56.20 To a Grain Corner N.
 62.45 To a Hickory 12 in. dia. stands in the line.
 74.60 To a Grain Corner S.E.
 80.00 Set a post for the corner of sec 34 & 35. from which
 W Oak. 14 in. dia. bears S 51 W. 21 links end; & 5
 Hickory 16 " " " S 79 E. 27 " "
 This mile is flat land; thin soil; Timber Shrub
 Oak & Hickory &c.

T. 1. N. 1. R. 6 W. 2nd Mer. Ind.

West On the Base line On the South Boundary of sec. 34
T. 1. N. 1. R. 6 W.

25.90 To a Hickory 12 in. diam. stands in the line.

40.00 Set a post from which

P. Oak 30 in. diam. bears N 60 1/2 E. 36 links with; & 1/2

do. 30 " " " West 60 " "

68.10 To a P. Oak 12 in. diam. in the line.

80.00 Set a post for the cor. of sec. 33 & 34 from which

P. Oak 16 in. diam. bears N 85 W. 24 links with; & 1/2

do. 24 " " " N 43 E. 17 " "

This mile is level and thinly timbered with Oaks

P. Oak & some Hickory; soil reddish; W. Dogwood

West On the Base line On the South Boundary of sec. 33
T. 1. N. 1. R. 6 W.

8.00 To a Hickory 12 in. diam. stands in the line

28.65 To a P. Oak 40 in. diam. " " "

40.00 Set a post from which

P. Oak 26 in. diam. bears N 65 W. 26 links with; & 1/2

do. 16 " " " N 43 E. 48. " "

43.90 To an Elm. 18 in. diam. stands in the line.

53.60 " " Road; corner S.E. Section Path.

66.60 To a Band of Kentucky tree

80.00 Set a post for the cor. of sec. 32 & 33 from which

P. Oak 24 in. diam. bears N 36 W. 8 links with; & 1/2

W. Oak. 22 " " " S 80 E. 35 " "

This mile is level; Oak & Hickory timbered land.

Logwood undergrowth reddish soil

West On the Base line On the South Boundary of sec. 32
T. 1. N. 1. R. 6 W.

14.95 To a W. Oak 18 in. diam. stands in the line.

28.10 " " do. 24 " " " " "

T. N. 1. N. R. N. 6 W 2nd Mer. Ind.

- 40.00 Set a 1/4 saposh from which
Maple. 26 in. diam. burs. S14 N 30 links north & 7/8
Elm. 14 " " " N 77 W. 26 " "
- 62.00 To a 1/2 Oak 24 in. diam. It stands in the line.
- 76.94 " Hick 12 " " " " " "
- 80.00 Set a post for the cor of sec. 31 & 32. T. 1. N. R. 6 W from
which a Hick 12 in. diam. burs. N 13 E. 33 links north
and a 1/2 Oak 12 " " " N 89 E. 73 " "
- This mile is timber land; Timber mostly Oak, Hick
and some Hog wood; Under the Hog wood: Soil
middling.

West On the Base Line On the South Boundary of sec. 31.
T. 1 N. R. 6 W.

- 19.86 To a Hick 12 in. diam. in the line.
- 40.00 Set a 1/4 saposh from which a
1/2 Oak. 12 in. diam. burs. S 78 W. 16 links north & 9
Hick 14 " " " S 85 E. 30 " "
- 54.24 To a Hick 12 in. diam. It stands in the line.
- 80.00 Set a post for the cor of Towns. 1. N. R. 6 W from
which a Hick 10 in. diam. burs. N 38 W. 14 links north
and a 1/2 Oak. 12 " " " N 53 E. 24 " "
- This mile is Oak timbered land.

Surveyed by
E. Buckingham A.S.

East Boundary (on plat v. 7. 10)

- North On the East Boundary of sec. 36. T. 1. N. R. 6 W.
1.04 To a 1/2 Oak 6 in. diam. It stands in the line.
10.22 To a 1/2 Oak 18 in. diam. It stands in the line.
- 12.10 To a Branch 3 links north, Course N. 25 W.
- 32.16 To a Hick 30 in. diam. It stands in the line.
- 39.00 " Branch. 4 links north, Course N 50 W.
- 40.00 Set a 1/4 saposh from which a

T. No 1. N.R. No 6 W. 2nd Mer. Ind.

W Oak. 12 in. diam. trees S 25 W. 24 links each; 80
 No. 12 " " " N 37 E. 10 " "
 62.25 To a Branch 3 links midw, Course W.
 73.25 " " Gum. 22 in. diam. in the line.
 80.00 Set apart for the cross cut. 25 & 36 from which a
 9 Oak. 8 in. diam. trees. S 70 W. 19 links each; 80
 W Oak. 15 " " " N 87 W. 39 " "
 Sands level; Timber Oak, Birch, & Poplar.

North On the East Round of spw. 25 T. 1. N.R. 6 W.
 11.50 To a Branch 2 links midw, Course N 25 W.
 12.41 " " W Oak, 20 in. diam. in the line.
 17.25 " " No. 26 " " " " "
 21.71 To a Branch 2 links midw, Course S 20 W.
 23.54 " " No. 4 " " " " "
 27.91 " " Branch 3 links midw, Course S 10 W.
 40.00 Set apart for the cross from which a
 Sugar. 6 in. diam. trees. N 21 E. 5 links each; 80
 Ash. 5 " " " S 10 E. 16 " "
 49.25 To a Branch 14 in. diam. stands in the line.
 70.00 " " Branch 30 links midw; Course N 30 E.
 75.00 To a Branch 30 " " " N 10 W.
 80.00 Set apart for the cross of lat. 24 & 25 from which a
 Elm. 20 in. diam. trees. N 55 W. 18 links each; 80
 Maple. 12 " " " S 20 E. 29 " "
 Sands generally bottom; Timber Oak, Birch, & Maple.
 & Poplar.

North On the East Round of spw. 24 T. 1. N.R. 6 W.
 5.56 To an ash. 34 in. diam. stands in the line.
 6.40 To a Branch 30 links midw, Course N 50 E.
 9.00 " " Same " " " " " N 50 W.
 12.47 " " No. " " " " " N 20 E.

T. N. 1 N. R. N. 6 W. 2nd Mer. Ind.

- 16.31 To the same. 30 links out, Course N 85 W.
 20.12 To a Poplar 48 in diam. stands in the line.
 22.00 " " Gum. 34 " " " " "
 40.00 Set a 1/4 post from which
 Gum. 38 in. diam. bears S 70 W. 32 links out; & on
 Oak. 24 " " " N 77 E. 6 " "
 71.10 To the Left Bank of White River Nov. 30th 1804.
 78.60 " " Right do " " "
 80.00 Set a post for the cor of sec. 13 & 24 from which
 Sugar. 14 in. diam. bears S 51 E. 34 links out; & on
 do. 12 " " " N 81 W. 28 " "
 Sand bottom; post out; Timber Oak, Poplar, Oak
 Sugar, & Gum. January. 1805.

- North On the East Boundary of sec. 13. T. 1 N. R. 6 W.
 6.25 Ascend a steep hill and large from Stone Rocks
 40.00 Set a 1/4 post from which
 Sugar. 15 in. diam. bears S 39 W. 38 links out; & on
 Gum. 27 " " " N 73 E. 49 " "
 70.50 To a Post 10 in the line. (diam. 1)
 80.00 Set a post for the cor of sec. 12 & 23 from which
 Oak. 18 in. diam. bears S 67 W. 16 links out; & on
 do. 15 " " " " S 74 E. 10 " "
 Sand hill; Timber Oak, Poplar, & Post.

- North On the East Boundary of sec. 12. T. 1 N. R. 6 W.
 26.13 To a Poplar 33 in diam. in the line.
 40.00 Set a 1/4 post from which on
 Elm. 15 in. diam. bears S 36 E. 15 links out; & on
 W Oak. 20 " " " N 66 W. 39 " "
 62.09 To a Branch. 12 links out, Course S 70 W.
 80.00 Set a post for the cor of sec. 1 & 12 from which
 W Oak. 14 in. diam. bears N 62 E. 40 links out; & on

T. No. 1. N.R. No. 6 W. 2nd Mer. Sud.

Poplar, 24 in. diam. trees N 43 W. 39 links each
Sandy low ridges: Timber Oak, & Poplar.

North On the East Boundary of Sec. 1 T. 1. N.R. 6 W.

15.00 To a W Oak 20 in. diam. in the line.

40.00 Set a post from which a

Wick 10 in. diam. trees N 63 E. 25 links each; & 5

Ho. 10 " " " N 81 W 17 " "

50.70 To a W Oak 18 in. diam. stands in the line.

67.80 " " Ho. 17 " " " " "

80.00 Set a post for the cor. off T. 1 & 2 N.R. 5 & 6 W.

from which a W Oak 24 in. diam. trees N 23 W. 27 links each;

made a Wick 10 " " " S. 14 E. 34 " "

Sandy low upland; Timber Oak, Hickory & Poplar.

January. 23. 1805.

North Boundary

West On the South Boundary of Sec. 36 T. 2. N.R. 6 W

25.75 To a W Oak 16 in. diam. stands in the line.

40.00 Set a post from which a

W Oak 12 in. diam. trees N 32 W. 18 links each; & 5

Ho. 12 " " " S 85 E. 35 " "

69.00 To a Post 30 links each, Course N 45 E.

80.00 Set a post for the cor. off Sec. 35 & 36 from which a

W Oak 20 in. diam. trees N 5 W. 47 links each; & 5

W Oak 23 " " " N 24 E. 53 " "

Level upland; Timber Oak, & Hickory

West On the South Boundary of Sec. 35 T. 2. N.R. 6 W

19.30 To a W Oak 24 in. diam. in the line.

29.90 To a Branch 3 links each, Course N 30 W

40.00 Set a post from which a

W Oak 34 in. diam. trees N 44 E. 30 links each; & 5

363

T. S. 1. N. R. N. 677 2nd Mm. S. 1. 2

W Oak. 12 in. diam. bears N 23 W. 2 links north, V
 64.11 To a W Oak 18 in. diam. in the line.
 69.10 To a Branch. 4 links north, Corner S.
 80.00 Set a post for the cor. of sec. 34 & 35 from which
 W Oak. 10 in. diam. bears S 8 E. 38 links north, & by
 Lg. 34 " " " N 46 W. 58 " "
 Sand hole explained; Timber W Oak, Red Oak &
 Hickory.

W Oak. Cut the South Boundary of sec. 34. T. 2. N. R. 6 W.
 99.50 To a Branch. 12 links north Corner S. 30 E.
 33.00 " " W Oak 24 in. diam. stands in the line.
 40.00 Set a post from which
 W Oak. 18 in. diam. bears N 55 W. 15 links north, & by
 Poplar. 30 " " " S 13 E. 66 " "
 63.00 To a Poplar. 10 in. diam. in the line.
 71.50 " " Branch 8 links north, Corner S.
 80.00 Set a post for the cor. of sec. 33 & 34 from which
 W Oak. 10 in. diam. bears N 77 W. 26 links north, & by
 Lg. 20 " " " S 78 E. 65 " "
 Sand hole bottom; & explained; Timber Oak & Hickory

W Oak. Cut the South Boundary of sec. 33. T. 2. N. R. 6 W.
 17.50 To a W Oak. 30 in. diam. in the line.
 40.00 Set a post from which
 W Oak. 18 in. diam. bears N. 8 W. 21 links north, & by
 Lg. 7 " " " S 69 W. 17 " "
 68.75 To a W Oak 25 in. diam. stands in the line.
 77.50 " " Branch 10 links north, Corner S.
 80.00 Set a post for the cor. of sec. 32 & 33 from which
 Elm 8 in. diam. bears N. 67 W. 14 links north, & by
 Red Oak 12 " " " S 48 E. 26 " "
 Sand hole Timber Oak & Maple.

T. N. 1. N.R. N. 671. 2nd Mer. Ind.

- West On the South Boundary of Sec. 32 T. 2. N.R. 671
 15.00 To a Branch 3 links wide Corner. S. 40 E.
 21.18 " " Red Oak 30 in. diam. Stands in the line.
 40.00 Set a 1/4 section post from which
 W Oak. 14 in. diam. bears S 48 E. 11 links out; & 3
 Ho. 9 " " " N 78 W 38 " "
 55.00 To a P. Oak. 30 in. diam. in the line.
 71.20 " " Ho. 22 " " " "
 80.00 Set a post for the cor. of Sec. 31 T. 3. N from which
 W Oak. 33 in. diam. bears N 29 E. 25 links out; & 3
 Ho. 15 " " " S 9 W. 16 " "
 Land is herb; Timber P. Oak, Hickory.

- West On the South Boundary of Sec. 31 T. 2. N.R. 671.
 40.00 Set a 1/4 section post in barren ground.
 62.25 To a P. Oak 30 in. diam. Stands in the line.
 79.90 To Jackson's post cor. of T. 1 & 2 N.R. 671 W
 Land generally herb Oak Spruce
 Jan. 7 23. 1805.

West Boundary

- North On the East Boundary of Sec. 36 T. 1. N.R. 77
 6.94 To a W Oak. 6 in. diam. Stands in the line.
 37.74 To " Hickory 10 " " " "
 40.00 Set a 1/4 section post from which
 Oak 21 in. diam. bears S 37 E. 36 links out; & 3
 Oak 18 " " " N 27 W 44 " "
 65.50 Crossed the draw leading from Vincennes to the
 falls of the Ohio.
 68.01 To an Oak. 14 in. diam. Stands in the line.
 80.00 Set a post for the cor. of Sec. 35 T. 3. N from which
 Oak 18 in. diam. bears N 13 W. 67 links out; & 3
 Ho. 7 " " " S 59 E. 25 " "
 Land similar to line between Sec. 30. & 25. T. 1. N. 671. W

F. M. I. N. R. N. E. W. and Mm. Ind.

- North Outth East Round 7 of ea. 25 J. I. N. R. J. W.
 1.00 To a Brook 8 links mid, Comes N.W.
 16.87 To an Oak. 24 in. dia. Stands in the line.
 35.00 " Bed of a Run. 4 links mid, Comes N.
 40.00 Set a post from which
 W. Oak. 8 in. dia. from S 39 E. 27 links mid; 70
 Oak. 6 " " " N 9 W 69 " "
 45.00 To the bed of a Run. 8 links mid, Comes S.W.
 48.97 To an Oak. 20 in. dia. Stands in the line.
 55.00 To the bed of a Run. 5 links mid, Comes S.W.
 69.92 To an Oak. 24 in. dia. Stands in the line.
 80.00 Set a post for the cor of sec. 24 & 25 from which
 Oak. 24 in. dia. from S 26 W 21 links mid; 70
 Loc. 27 " " " N 67 E. 40 " "
 Upland - gently rolling; Limited Oak, Hickory, & Poplar,
 thick undergrowth. Plenty of bur oaks.

- North Outth East Round 9 of ea. 24. J. I. N. R. J. W.
 2.59 To an Oak. 18 in. dia. Stands in the line.
 23.56 " " Oak. 27 " " " " "
 25.00 Common upland N. W. gently rolling; Limited
 Beech, W. Oak, Poplar, Gum &c. Covered with a
 thick undergrowth of fern
 34.00 To the bed of a Run. 4 links mid, Comes N.W.
 39.00 To a Brook. 50 links mid, Comes N.E.
 40.00 Set a post from which
 Beech. 10 in. dia. from N 70 E. 39 links mid; 70
 Poplar, 20 " " " S 68 W. 38 " "
 40.25 To a Brook 50 links mid, Comes N.W.
 49.20 To a Hickory 10 in. dia. Stands in the line.
 55.50 To the bed of a Run. 6 links mid, Comes S.W.
 80.00 Set a post for the cor of sec. 13 & 24 from which
 Sugar. 10 in. dia. from S 49 W. 42 links mid; 70
 Beech. 15 " " " N 51 E. 60 " "

T. N. 1 N. R. No 8 W 2nd Mer Ind. a.

Upland. 2nd rate, Timber Oak, Hickory & Gum.
Some hilly & plenty of burdago.

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| North | On the East Boundary of Sec. 13. T. 1. N. R. 7 W |
| 3.00 | To bed of River. 6 miles wide, Course S. W. |
| 7.05 | To a Sugar, 14 in. dia. Stands in the river. |
| 11.00 | To the bed of a River. 8 miles wide, Course W. |
| 29.00 | To " " " " 3 " " " S 60 W. |
| 33.00 | To Spring River. 3 miles wide, Course W. |
| 40.00 | Set a White Walnut post for cor. of 1/4 Sec from white, River 12 in. dia. trees. N 43 W. 34 miles wide, & 3 Sugar 15 " " " S 49 E. 24 " " |
| 42.50 | To a Brook. 25 miles wide, Course N. W. |
| 43.00 | To Bottom land; 1st quality; Timber Sugar, Burr Walnut, Birch, Elm, Buckeye, W. Locust, Ash and. Poplar. |
| 47.50 | To a Spring run 3 miles wide, Course S. W. |
| 69.00 | " bed of River. 10 miles wide, Course S. W. |
| 80.00 | Set a Paw Paw post for the cor. of; Sec. 12 & 13. from 1; which is a Birch. 9 in. dia. trees. N 19 E. 14 miles wide and a Sugar. 21 " " " S 50 W. 8 " " Land gently rolling. Timber Sugar, Birch, & Pop lar, W. Ash, Gum. covered with a thick growth of penurus & nettles. |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| North | On the East Boundary of Sec. 12. T. 1. N. R. 7 W |
| 19.30 | Set a post on the Left Bank of White River from white Sycamore 20 in. dia. trees. S 44 E. 23 miles wide and a Sugar. 12 " " " S 65 W 63 " " |
| 26.70 | To the Right Bank of White River. |
| 37.00 | To a Hickory 22 in. dia. Stands in the river. |
| 40.00 | Set a post up from which Birch. 26 in. dia. trees. S 71 E. 16 miles wide & 3 |

T. N. 1. N. R. No 6 W 2nd Mrs. Sud.

88.69 To a Hick 36 in. dia: stands in the tree.
 80.00 Set a post for the cor of ew. 1 & 2 from which a
 Ash 12 in. dia: beam. N 77 E. 45 links each; to
 Sugar. 15 " " " N 61 W. 51 " "
 Sand bottom; Timber Birch, Sugar, Walnut,
 & Poplar,

North. On the East Branch of Sec. 1. T. 1 N. R. 7 W.
 9.75 To a Poplar 36 in dia: stands in the tree.
 21.60 To a Branch 12 links each, corner S 30 W.
 40.00 Set a post for the cor of which a
 W Oak 14 in dia: S 15 W. 15 link each; to
 Birch 8 " " " S 4 W 30 " "
 55.00 To a Birch 20 in dia: stands in the tree.
 72.00 To " 13 Oak 30 " " " " "
 80.00 Set a post for the cor of T. 1 & 2 N. R. 6 & 7 W. from
 which a W Oak 20 in. dia: beam. N 81 W. 20 links each
 under Co. 18 " " " S 21 E. 57 " "
 Sandhilly Timber Poplar, Birch & Oak
 Jan. 7 2nd 1805.

Subdivisions

North Return Sec 35 & 36 T. 1. N. R. 6 W.
 4.34 To a Birch 24 in dia: stands in the tree.
 40.00 Set a post for the cor of which a
 W Oak 12 in. dia: beam S 65 W. 21 links each; to
 W Oak 18 " " " S 8 W 29 " "
 48.00 To a Hick 30 in. dia: stands in the tree
 80.00 Set a post for the cor of ew. 35, 26, 35 & 36 from which a
 W Oak 20 in. dia: beam. S 49 W. 70 links each; to

T^o No. 1 N.R. N. 6 W. 2nd Mm. Sud.

Sum. 12 in. dia. beams N 24 E 33 links each;
 Gaudes lrr; Tinita Oak, Oak & Healthy.

East Return Sec. 25 & 26. T. 1 N.R. 6 W.
 26.30 To a Branch. 2 links mid, Conner N 40 E.
 39.80 Set a 74 support at ar. dish from which
 W Oak. 18 in. dia. beam. S 68 E 8 links each; & 3
 Llo. 19 " " " N 65 W 4 " "
 60.50 To a Branch. 30 links mid. Conner: N 45 W.
 79.60 Intersect the East Branch at post cor of sec. 25 & 26
 Gaudes lrr ridges; Conner lrr; Tinita Oak, Bush
 & Poplar.

North Return Sec. 25 & 26. T. 1 N.R. 6 W.
 9.90 To a Bush. 20 in. dia. Stands on the riv.
 40.00 Set a 74 support from which
 W Oak. 24 in. dia. beam. S 43 E. 4 links each; & 3
 Llo. 30 " " " N 51 W 45 " "
 32.19 To a B Oak 24 in. dia. Stands on the riv.
 78.16 To a B Oak. 16 " " " " "
 80.00 Set a post for the cor of sec. 23, 24, 25 & 26. From which
 W Oak. 12 in. dia. beam. N 45 W. 41 links each; & 3
 W Oak. 15 " " " S 81 E 35 " "
 Sande hilly; Tinita W. & B Oak.

East Return Sec. 24 & 25. T. 1 N.R. 5 W.
 7.65 To a Branch. 2 links mid, Conner N.
 34.75 " " Llo. 3 " " " "
 39.95 Set the 74 support at ar. dish from which
 W Oak. 15 in. dia. beam. N 52 W. 43 links each; & 3
 Sugar. 8 " " " S 26 W 21 " "
 78.00 To a Branch. 30 links mid, Conner N.
 79.90 Intersect the East Branch 20 links North of the post. 3,56

369

T. N. 1. N. R. No. 671 2nd Mm. Ind.

Land 60 chains hill; then wet bottom; timber
Oak, Gum, Sugar, & Poplar,

North Return Sur. 23 & 24 T. 1 N. R. 6 W.
 10.00 To Largo pond. 623 links E & W. & running at
 both ends to the North and forming the shape of
 a Horse Shoe.
 34.00 To East end of same pond 900 links N. W. or S. 40 W.
 40.00 A support in the pond
 52.19 To a maple 14 in. diam. stands in the line.
 70.70 To a sugar. 14 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which
 Elm 40 in. diam. bears N 59 W 34 links N. 73
 Sugar. 9 in. " " N 78 E. 19 " "
 Land generally bottom timber Oak, Poplar
 & Gum. Saturday Dec. 18th 1804

East Return Sur. 13 & 24 T. 1 N. R. 6 W.
 16.50 To the Left Bank of White River
 24.00 To the Right " " "
 39.95 Set the 14 support at av. dist. from which
 Birch 10 in. diam. bears S 41 W 34 links N. 73
 Sugar 9 " " " N 45 W. 47 " "
 79.90 Intersect the East Boundary 10 links North of the
 post cor. of sec. 13 & 24
 Land Bottom; timber Oak, Sugar,
 Jan. 7th 1805.

North Return Sur. 13 & 14 T. N. 1 N. R. 6 W.
 8.50 To the Left Bank of White River
 14.50 " " North to " " "
 40.00 Set a support from which
 Birch 5 in. diam. bears N 38 E. 47 links N. 73

T. No. 1 N.R. No. 6 W. 2nd Mer. Sud^a

Poplar. 6 in. diam. trees. 974 N. 5 links dist
 40.10 To a Branch. 8 links mid, Corner 955 W.
 45.85 To a Red Oak. 20 in. diam. Stands in the line.
 80.00 Set a post for the cor. of Sec. 11, 12, 13 & 14 from which,
 W Oak. 12 in. diam. trees. 917 N. 26 links dist, & 3
 Ho. 18, " " N 69 E. 23 "
 Land lies in the N. 1/2; Timber Oak, Birch, &
 Poplar,

Cash Return Sec. 12 & 13 T. 1 N.R. 6 W.
 39.95 Set a 1/4 cor. post at an dist on the true line from which
 a W Oak. 8 in. diam. trees. N 37 E. 18 links dist, & 3
 Ho. 14, " " S 3 E. 20 "
 70.25 To a Branch. 4 links mid, Corner N 10 W.
 77.30 " " Ho. 5 " " " S 40 W
 79.90 Enter at the East Boundary at the first cor. of sec.
 12 & 13 Land here; Timber Oak, & Hickory.

Arith Return Sec. 11 & 12 T. 1 N.R. 6 W.
 15.50 To a W Oak 18 in. diam. Stands in the line.
 34.25 To a Branch. 6 links mid Corner 970 E
 38.00 " " Ho. 5 links mid, " S 5 E.
 40.00 Set a 1/4 cor. post from which
 W Oak. 18 in. diam. trees. N 37 E. 15 links dist, & 3
 Birch. 22, " " S 15 W. 24 " "
 50.70 To a Red Oak. 30 Stands in the line.
 60.80 a " W Oak, 18 " " " "
 76.50 To a Branch. 3 links mid, Corner N 50 E.
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which a
 W Oak. 20 in. diam. trees. N 30 W. 11 links dist, & 3
 Ho. 22, " " S 32 E. 39 " " "
 Land here; Timber Oak, & Poplar.

East Return Sep. 1st 1870 T. 1. N. R. 6 W.
 4.00 To a Branch. 5 miles wide, Corner N 30 W
 21.00 " " No. 10 " " " North.
 27.80 " " No. 8 " " " " "
 40.00 Set the 1/4 section at ar. dist from which a
 Maple. 12 in. dia. trunk N 25 W. 54 miles wide; & by
 Ash. 23 " " " N 28 E. 53 " " "
 61.50 To a Branch. 15 miles wide, Corner N 40 W.
 80.00 Intersect the East Boundary at the post-corn of sec. 1870
 Land hard; Timber Oak, Maple & Ash.

North Return Sep. 1st 1870 T. 1. N. R. 6 W.
 20.50 To a Branch 50 miles wide, Corner S 70 W
 25.06 " " Beech. 22 in dia. stands in the line.
 40.00 Set a 1/4 section from which a
 W Oak. 12 in. dia. trunk N 25 W. 25 miles wide; & by
 Red Oak 22 " " " S 89 E. 20 " " "
 58.78 To a Poplar 22 in. dia. stands in the line.
 69.90 " " W Oak. 21 " " " " " "
 80.00 Intersected the N Boundary 10 miles East of the post-corn
 of Sec. 35 & 36 T. 2 N. R. 6 W from which a
 W Oak. 12 in. dia. trunk N 48 W 27 miles wide; & by
 Gum. 8 " " " S 47 W. 39 " " "
 Land hard; Timber Oak & Poplar.
 Jan'y 25. 1875

North Return Sep. 34 & 35 T. 1. N. R. 6 W
 7.69 To a W Oak. 13 in. dia. stands in the line
 38.35 " " W Oak. 20 " " " " " "
 40.00 Set a 1/4 section from which a
 W Oak 24 in. dia. trunk N 47 E 44 miles wide; & by
 No. 22 " " " N 78 W 10 " " "
 80.00 Set a post for the corner Sec. 26, 27, 34 & 35 from which a

T. No. 1. N.R. No. 677. 2nd Mm. Ind.

W. Oak. 18 in. diam. beams S 75 W 23 units each; & g
 Hickory 15 " " " S 57 E 44 " "
 Lunde hub; Limbu Oak & Hickory.

East Return Sur. 26. & 35. T. 1. N.R. 677.

21.50 To a Branch. 2 units wide, Course N 45 W

39.87 1/2 Let the 1/4 support at av. dist. from which

W. Oak. 22 in. diam. beams. N 15 1/2 W. 13 units each; & g

W. Oak. 12 " " " S 88 E. 23 " "

49.77 To a Branch. 2 units wide, Course N.

62.75 " " No. 3 " " " N 15 W.

79.75 Enter at the N 15 W line 18 units South of the first cor. of
 Sur. 25. 26, 35 & 36

Lunde hub; Limbu W. Oak, W. Oak, & Hickory.

North Return Sur. 26. & 37 T. 1. N.R. 677

6.31 To a W. Oak, 22 in. diam. Stands in the line.

18.50 " " Branch 3 units wide, Course N.

20.00 " " No. 8 " " " N 80 W.

40.00 Let a 1/4 support from which

W. Oak. 24 in. diam. beams. S 29 1/2 E. 59 units each; & g

No. 23 " " " N 45 W 72 " "

51.25 To a W. Oak. 30 in. diam. Stands in the line.

80.00 Let a post for the cor. of Sur. 22, 23, 26 & 27. From which

W. Oak. 22 in. diam. beams. S 23 E. 95 units each; & g

No. 20 " " " N 97 W. 35 " "

Lunde lies in her ridges Limbu N. & W. Oak

East Return Sur. 23 & 26. T. 1. N.R. 677.

39.90 Let the 1/4 support at av. dist. from which

W. Oak. 14 in. diam. beams N 4 W. 24 units each; & g

No. 6 " " " S 31 W. 25 " "

57.50 To a Branch. 4 units wide, Course N 35 E.

J. N. 1. N.R. No 677. 2nd Mrs. Ind.

79.80 Sunset at the N & S line at the post cor of sec. 23, 24 & 25 & 26
 Lande hilly; Timber Oak, Poplar & Sugar,
 Monday Dec. 2nd 1804.

North Return Sat. 22 & 23. J. 1. N.R. 677.

1.50 To N.R. Oak. 28 in. dia. Stands in the line.

20.75 " " N.R. Oak, 36" " " " " " "

38.10 To the Left Bank of White River. 575 miles run, Gr. S.W.
 Dec. 6. 1804.

40.00 To the 74 sec. cor. in the River.

47.75 To the N Bank. or Right Bank of W. River.

54.84 To a Buck. 12 in. dia. in the line.

80.00 Set a post for the cor. of sec. 14, 15, 22, & 23. From which a
 Buck. 12 in. dia. runs S 82 E. 3 miles and; & 5

Dec. 10 " " " N 77 W. 19" "

Lande generally bottom; Timber Buck, Oak, Sugar,
 Poplar, & Gum. Jan. 13th 1805.

East Return Sat. 14 & 23. J. 1. N.R. 677.

29.00 To the Right Bank of W. River.

36.00 " " Left " " " " "

39.95 Set the 74 capost at an. rich stream which a
 Buck. 20 in. dia. runs N 40 W. 10 miles and; & 5

Dec. 13 " " " S 65 E. 43" "

79.90 Sunset at the N & S line 20 miles South of the post cor of
 Sec. 13, 14, 23 & 24.

Lande bottom; Timber Buck, Poplar, Sugar, Gum. &c.

North Return Sat. 14 & 15. J. 1. N.R. 677.

12.61 To an Oak. 23 in. dia. Stands in the line.

24.00 " a Branch 12 miles wide, Comes N 60 W

27.50 To a Large pond; Comes N 15 E.

40.00 Set a 74 capost in the pond.

T. N. 1. N.R. N. 6 W. 2nd Mer. Ind.

62.50 To the North side of the Pond
 63.00 To an Elm, 22 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 10. 11. 14 & 15 from which
 Gum. 12 in. diam. bears N 8 W. 16 units due; & 9
 Elm. 10 " " " N 38 E. 20 " "
 Sand bottom Timber Oak, Sugar, Poplar, Gum
 & 3. Elm & Oak.

East Return Sec. 11. & 14. T. 1. N.R. 6 W.
 39.90 Set the 14 post at av. due on the line from which
 Beech. 12 in. diam. bears S 27 W. 47 units due; & 9
 Sugar. 12 " " " N 9 W. 37 " "
 79.80 Set a post for the N & S line at post cor. of sec. 11. 12. 13 &
 14 Sand. Oak Timber Oak, Beech, Poplar, & Sugar

North Return Sec. 10 & 11 T. 1. N.R. 6 W.
 6.75 To a Branch. 5 units due Corner S 30 W.
 24.00 " " No. 4 " " " S 60 W.
 40.00 Set a 14 post from which
 Beech. 13 in. diam. bears S 62 W. 47 units due; & 9
 No. 12 " " " N 73 W. 27 " "
 47.25 To a Brook 8 units due Corner S 60 W.
 54.75 To a Poplar, 48 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11. from which
 Beech. 12 in. diam. bears N 82 E. 24 units due; & 9
 No. 14 " " " S 57 W. 3 " "
 Sand. Oak; Timber Oak, Beech, Sugar, Maple.

East Return Sec. 2. & 11. T. 1. N.R. 6 W.
 9.50 To a Branch. 3 units due Corner N.
 27.25 To " No. 3 " " " N 70 W.
 40.00 Set the 14 post at av. due from which
 Beech. 12 in. diam. bears N 28 E. 19 units due;

375

T. N. 1. N.R. 6 W. 2nd Mer. Sud.?

70.15 Buck. 12 in. diam. beams S46 E. 13 units each;
 Top Brook. 8 units wide, Course N.
 80.00 Intersect the N.R. line at the post cor of lat 22.11412
 Sand bar; Tamar Oak, Buck, Sugar, & Poplar.
 Jan. 27. 1805

North Return Lat 24.3. T. 1. N.R. 6 W
 4.50 Top Branch. 4 units wide, Course N50 W.
 18.00 " " Hickory 22 in. diam. Stands in the line.
 29.00 To a W Oak 18 in. diam. Stands in " " "
 33.50 " " Branch. 25 units wide, Course N30 W
 39.00 " " Lt. 50 " " " N45 W.
 40.00 Set a post from which
 Buck. 22 in. diam. beams. S13 E. 29 units each; &
 Sugar. 10 " " " S62 E. 29 " " "
 75.00 To a Branch. 6 units wide, Course S50 W.
 80.00 Intersect the N.R. line at 50 units East of the post cor.
 of lat 34 & 35. T. 2. N.R. 6 W. from which
 Poplar. 48 in. diam. beams. S11 E. 33 units each; &
 Hickory 12 " " " S63 W. 23 " "
 Sand bar bottom; & Apples; Tamar Oak, 7 Buck,
 Gum. & Poplar, Sugar, Jan. 26. 1805.

North Return Lat 33 & 34. T. 1. N.R. 6 W.
 33.03 To a W Oak 22 in. diam. in the line.
 40.00 Set a post from which
 W Oak. 30 in. diam. beams. S72 E. 51 units each; &
 Lt. 26 " " " S77 W 80 " "
 80.00 Set a post for the cor of lat 27 28. 33 & 34 from which
 W Oak. 12 in. diam. beams. S79 E. 7 units each; &
 Lt. 36 " " " N39 W. 45 " "
 Sand bar Tamar Oak, & Hickory.

T. N. 1. N. R. N. 6 W. and Mon. Sec. 2

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------|
| East | Return Sec. 27 & 34. T. 1. N. R. 6 W. |
| 5.50 | To a Brook 3 links wide, Corner N. |
| 31.00 | " " Brook 2 " " N 65 W. |
| 39.90 | Set a 1/4 capost at ar. dist from which a Red Oak 13 in. diam. bears S 34 E. 23 links dist; & 5 Quinn. 10 " " " S 29 W 33 " " |
| 54.50 | To a Branch. 3 link wide, Corner N 45 E. |
| 59.50 | " " " " " " North. |
| 79.80 | Turn out the N & S line 19 links North of the post cor off Sec. 26, 27, 33 & 34 Glands here in low ridges; Turned Oak & Hickory |

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| North | Return Sec. 27 & 28. T. 1. N. R. 6 W. |
| 21.43 | To a Hickory 20 in. diam stands in the line. |
| 33.00 | To a Branch. 2 link wide, Corner N. 20 E. |
| 40.00 | Set a 1/4 capost from which a W Oak. 15 in. diam. bears N 44 1/2 W 2 links dist; & 5 " " " " " " N 27 1/2 E. 32 " " |
| 54.69 | To a Red Oak 30 in. diam. in the line. |
| 55.00 | " " Brook. 6 links wide, N 70 W. |
| 59.00 | " " " " " " W. |
| 80.00 | Set a post for the cor. off sec. 21, 22, 27 & 28. from which Poplar. 30 in. diam. bears S 12 W 6 links dist; & 5 W Oak. 14 " " " " N 21 W. 35 " " |
| | Glands here in low ridges; Turned Oak, Poplar Sugar & Walnuts & 5 |

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------|
| East | Return Sec. 22 & 27. T. 1. N. R. 6 W. |
| 30.00 | To a Brook 3 links wide, Corner N 35 W. |
| 39.95 | Set a 1/4 capost at ar. dist in the line from which W Oak 20 in. diam. bears N 34 W. 6 links dist; & 5 Quinn. 7 " " " " S 40 E. 24 " " |
| 79.90 | Turn out the N & S line 9 links North of the post cor off |

T. N. 1. N.R. N. 671. 2nd Mo. Ind. 3

377

Dec. 22, 25, 26 & 27.

Land has in her ridges; Timber W Oak. B. Oak,

| | | |
|--------|-----------------------------------------------------------|---------------|
| North | Return Dec. 21 & 22. T. 1. N.R. 671 | |
| 8.90 | To Red Oak 36 in diam. in the line. | |
| 12.50 | To a Pine 250 yards wide, E & W. | |
| 32.00 | To a Swamp. 50 yards wide, across N 35 W. | |
| 32.50 | " on ash. 20 in diam. stands in the line. | |
| 40.00 | Set apart a post from which | |
| | Blackberry 15 in diam. bears N 89 W. 22 yards east; & 3 | |
| | Bush. 20 " " " N 50 E. 63 " " | |
| 56.16. | To Honey Locust 48 in diam. in the line. | |
| 80.00 | Set apart for the cor. of lat. 15.16, 21 & 22 from which | |
| | W. Walnut. 38 in diam. bears S 12 E. 24 yards east; & 3 | |
| | ash. 12 " " " N 55 W 19 " " | |
| | Land has Timber Oak, Bush. Walnut, Sugar, & Honey. Locust | |
| Each | Return Dec. 15 & 16. T. 1. N.R. 671 | Dec. 3. 1804. |
| 15.00 | To W. River Left Bank, 600 yards wide, | |
| 21.75 | To the Right Bank of W. River | |
| 39.95 | Set apart a post at av. dist. on the true line from which | |
| | Sugar, 15 in diam. bears N 37 W. 22 yards east; & 3 | |
| | do. 12 " " " N 65 E. 20 " " | |
| 79.80 | Intersect the East Boundary 30 yards north of the post | |
| | cor. of lat. 14. 15. 22 & 23. | |
| | Land bottom Timber Oak, Sugar, Poplar, & Walnut | |
| | Jan. 14. 1805. | |
| North | Return Dec. 15 & 16. T. 1. N.R. 671 | |
| 6.50 | To a Hickory 14 in diam. stands in the line | |
| 19.12 | To a Sycamore 60 in diam. stands in the line. | |
| 19.25. | To the Left Bank of White River | |

T. No 1 N.R. No 6 W. 2nd Mer. S. d.

Monday Nov. 3rd 1804.

25.00 To the Right Bank of W. River
 40.00 Set a 1/4 saposh from which a
 1/2 Buck. 10 in. diam. beams S 67 N. 10 units each, & 1/2
 1/2 Oak 10 " " " S 41 E. 25 " "
 54.00 To a Branch. 40 units wide, Corner S 30 W.
 68.37 " " 1/2 Walnut 20 in. diam. stands in the line.
 80.00 Set a post for the cor. of cor. 9. 10. 15 & 16 from which a
 1/2 Buck. 10 in. diam. beams N 40 W 37 units each, & 1/2
 No. 24 " " " S 48 W. 23 " "
 Guide line ridges. Spent bottom. Sinter Oak, Walnut,
 & Poplar.

Cash Return Sur. 10 & 15 T. 1 N.R. 6 W.
 15.00 To a Branch. 5 units wide, Corner N 30 E.
 40.00 Set the 1/4 saposh at av. each from which a
 1/2 Buck. 10 in. diam. beams S 52 W. 38 units each, & 1/2
 No. 8 " " " N 61 E. 20 " "
 58.10 To a Branch. 50 units wide, Corner S 30 E.
 80.00 Between the W & S line at the first cor. of cor. 10. 11. 14 & 15
 Guide bottom; Shells; Sinter Buck, Sugar, & Poplar.

North Return Sur. 9 & 10 T. 1 N.R. 6 W.
 26.75 To a Poplar. 33 in. diam. stands in the line
 40.00 Set a 1/4 saposh from which a
 1/2 Oak. 10 in. diam. beams. S 22 E. 21 units each, & 1/2
 Gum. 20 " " " N 43 W. 15 " "
 77.08 To a W Oak, 20 in. diam. stands in the line.
 80.00 Set a post for the cor. of cor. 3. 4. 9 & 10 from which a
 1/2 Oak. 18 in. diam. beams N 42 E. 18 units each, & 1/2
 Lp. 15 " " " S 81 W. 56 " "
 Guide line ridges Sinter Oak, Poplar, & Buck. & Hairy

Each Return Sec. 3410 T. 1 N. R. 6 W.
 40.10 Set the $\frac{1}{4}$ section at ar. dist on the line from which
 1 Oak 14 in. diam. bears - 16 E. 29 links dist; 13
 1 Oak 20 " " " 30 E. 27 " "
 61.60 To a Branch. 50 links wide, Corner S 30 W.
 80.20 Enter the N. S. line 8 links South of the post on off
 Sec. 2, 3, 10 & 11.
 Land runs bottom; Timber Oak, Sugar, Poplar,
 and Oak.

North Return Sec. 344 T. 1 N. R. 6 W.
 1.08 To a Oak, 20 in. diam. stands in the line.
 17.00 To a Branch. 12 links wide, Corner S 20 W.
 32.40 " " Poplar, 36 in. diam. stands in the line.
 63.65 To a Brook. 25 links wide, Corner S 25 W.
 80.00 Enter the N. Boundary 50 links West of the post
 on of sec. 33 & 34. T. 2 N. R. 6 W. from which
 1 Oak, 22 in. diam. bears N 9 W. 12 links dist; 13
 1 Oak 18 " " " 80 E. 14 " "
 Land herb; Timber Oak & Hickory.
 40.00 1 Oak 10 in. diam. 19 links dist; 13 } Jan. 24, 1805.
 10 " 20 " 12 " " "

North Return Sec. 30 & 33. T. 1 N. R. 6 W.
 27.90 To a Red Oak, 20 in. diam. stands in the line.
 28.25 To a Branch. 5 links wide, Corner W.
 39.22 To a W Oak, 14 in. diam. stands in the line.
 40.00 Set a $\frac{1}{4}$ section from which
 1 Oak 34 in. diam. bears N 75 W. 17 links dist; 13
 1 Oak 8 " " " N 29 E. 54 " "
 50.08 To a W Oak 15 in. diam. in the line,
 80.00 Set a post for the corner of sec. 28, 29, 32 & 33 from which
 1 Oak 8 in. diam. bears N 14 E. 71 links dist; 13
 10. 30 " " " 50 W. 49 " "

T. N. 1. N. R. N. 6 4th 2nd Mm. Lued?

Land bond Lumber Oak & Hickory

East Return Feb 28 1833. T. 1. N. R. 6 W.

8.00 To a Brook 2 miles wide, Course N.

40.00 Set the 1/4 section at av. dist from wharf to

Red Oak 10 in. diam. trees N 58 W 15 miles dist; 15

Yum. 7 1/2 " " N 73 W 42 " "

80.00 Intersect the East ~~Section~~ ^{N 73 W} 20 miles South of the
post cor of eas. 27, 28 33 & 34

Land bond; Lumber Oak, & Hickory

North Return Feb 28 1829 T. 1. N. R. 6 W.

23.00 To a Brook 3 miles wide, Course W.

40.00 Set a 7/4 section from wharf to

W Oak 12 in. diam. trees S 12 E 7 1/2 miles dist; 15

Log 6 " " " S 41 W 100 " "

80.00 Intersect for the cor of eas. 20, 21, 28 1829 from wharf

a Gum 10 in. diam. trees S 55 W 31 miles dist; 15

Hickory 12 " " " N 55 E 33 " "

Land on barren ridge; Lumber R. & W Oak, &
Hickory.

East Return Feb. 21. 1828. T. 1. N. R. 6 W.

34.00 To a Spring Course N 50 W.

40.10 Set the township 1/4 section at av. dist from wharf to

W Oak 18 in. diam. trees N 10 W 35 miles dist; 15

W Oak 24 " " " S 30 W 46 " "

55.25 To a Brook 10 miles wide, Course N 40 W.

80.20 Intersect the N 58 line 30 miles South of the post cor.
of eas. 21, 22, 27 & 28.

Land on ridges; Generally W Oak, Lumber.

North Return Feb 20 & 21. T. 1. N. R. 6 W.

2
over
36

381

J. N. 1. N.R. N. 6 W. 7th (Mw. Sud.)

11.25 To a B. Oak, 22 in. diam. stands in the line.
 40.00 Set a 74 report from which a
 Honey Locust 22 in. diam. bears. S81 E. 21 links north;
 Elm, 8 " " " S21 N. 23 " "
 54.20 To a Poplar, 36 in. diam. stands in the line.
 70.00 " " B. Oak, 36 " " " " "
 80.00 Set a post for the cor. of lat. 16, 17, 20 & 21 from which a
 Hackberry 20 in. diam. bears. S33 E. 46 links north;
 Ho. 30 " " " N44 W. 82 " " "
 Sandalwood; Limbo Oak, Walnut & Hackberry

East Between Elev. 16 & 21 J. N. 1. N.R. 6 W.
 15.00 To a Pond 550 links wide, Corner N30 E.
 40.00 Set the 74 report at an angle from which
 Hackberry 12 in. diam. bears N12 E. 17 links north;
 W Oak. 15 " " " S84 E. 9 " "
 80.00 Intersub the N13 line 12 links South of the post cor.
 of lat. 15, 16, 21 & 22
 Sandalwood; Limbo Walnut, Cottonwood,
 Hackberry, Sycamore, & Honey Locust

North Between Sur. 16 & 17 J. N. 1. N.R. 6 W.
 7.25 To a B. Walnut 36 in. diam. stands in the line.
 21.43 To a W. Hackberry 22 in. diam. stands in the line.
 40.00 Set a 74 report from which a
 Elm. 22 in. diam. bears West. 10 links north; S5
 Oak 6 " " " S37 N. 23 " "
 55.69 To a Honey Locust 24 in. diam. in the line
 63.00 To the Left Bank of W. River 600 links wide,
 Sep. 4. 1804
 80.00 Set a post for the cor. of lat. 8, 9, 16 & 17 from which a
 Sycamore 44 in. diam. bears S54 E. 18 links north;
 Ho. 38 " " " N76 E. 23 " "

T. N. 1. N.R. N. 6 W. 2nd Mer. S. d. 1.

Land bottom; Limbs 7 Beak, Oak, Sugar,
Cycamore, Walnut &c. Jan. 27. 1804.

East Return Sat. 9. & 10. T. 1 N. 1 R. 6 W.
40.00 Set a 14 support at av. dist from which a
Beak. 10 in. dist. from. N 81 W 7 links out; & 3
Do. 14 " " " S 5 W. 5 " "
48.50 To a Branch. 4 links out, comes S 5 W
80.00 Intersub the N & S line 10 links North of the post
cor off Lat. 9. 10 15 & 16. Land hilly; Limbs 7 Beak,
Oak & Poplar, & Sugar.

North Return Sat 8 & 9 T. 1. N. R. 6 W.
18.00 To a Branch. 6 links out, comes W.
24.80 To a Sugar, 18 in. dist. stands in the line.
32.75 " " Poplar, 42 " " " " "
40.00 Set a 14 support from which a
Beak. 19 in. dist. from. N 42 E. 20 links out; & 3
Sugar, 10 " " " S 66 W 14 " "
49.00 To a Branch. 35 links out, comes N. 45 W.
59.80 To a Beak. 18 in. clear stands in the line.
80.00 Set a post for the cor off Lat. 4. 5, 8 & 9 from which a
Sugar, 14 in. dist. from. N 80 E. 5 links out; & 3
Sum. 20 " " " S 19 W. 20 " "
Land hilly; Limbs 7 Beak, Oak, & Sugar, Ash & Poplar

East Return Sat 4. & 9 T. 1. N. R. 6 W.
5.50 To a Branch. 25 links out, comes N 10 W
38.45 To a Do. 8 " " " S 25 W.
40.00 Set the 14 support at av. dist on the line from which a
Red Oak. 22 in. dist. from. N 23 E. 16 links out; & 3
W. Oak. 12 " " " N 41 W 35 " "
62.20 To a Branch 10. links out, comes S 15 W.

T. N. 1. N. R. N. 6 W. quad. Min. Ind.?

80.00 Enter at the East Boundary on N & S line at the first cr. of lat. 3. 4. 9, & 10.
 Shade line in low ridges; Lumber Oak, Birch,
 Poplar & Sugar,

North Return Jul 4. & 5 T. 1. N. R. 6 W.

33.00 To a Brook 10 links wide, Corner S 30 W.

35.80 " " Red Oak. 24 in. diam. Stands in the line.

40.00 Set a 14 knot post from which

Bear. 25 in. diam. bears S 50 W. 8 links north; & 5

Co. 12 " " " N 78 E. 35 " "

70.80 To a W Oak 18 in. diam. Stands in the line.

72.00 " " Brause. 6 links wide, Corner W.

80.50 Enter at the N Boundary 180 links East of the first
 cr. of lat. 32 & 33. T. 2. N. R. 6 W. from which

W Oak. 8 in. diam. bears N 86 E. 10 links north; & 5

Co. 10 " " " S 49 W 9 " "

Scrub Oak Land;

North Return Jul 31 & 30. T. 1. N. R. 6 W.

24.90 To a W Oak. 12 in. diam. in the line.

26.87 To the Vincennes road.

40.00 Set a 14 knot post from which

W Oak. 12 in. diam. bears S 8 E. 6 links north; & 5

Co. 8 " " " N 35 E. 31 " "

65.30 To a Brook 7 links wide, Corner N 20 W.

80.00 Set a post for the cr. of lat. 29. 30. 31 & 32 from which
 a Hick 7.5 in. diam. bears S 30 E. 3 links north; & 5

Co. 8 " " " S 46 W. 4 " "

Scrub Oak; Lumber W & B Oak & Hick; w/ Maple
 & Grape vines & Brins.

East Return Jul 29 & 30 T. 1. N. R. 6 W

T. N. 1. N. R. N. 6 W. 2nd Sec. Sud.

- 40.10 Set the trap 7/4 to post at av. dist. from which =
 Oak. 10 in. dist. from N 57 E. 39 links dist. & 9
 J. Oak 20 " " " 550 N 33 " "
 42.75 Trap Branch. 10 links wide, Corner N.
 80.24 Between the N 43 W. 20 links South of the post cor.
 of sec. 28, 29, 32 & 33.
 Sand ridgy barrens. Juniper Oak, Hickory & Maple
 & Grapes.

- West Petron Sec. 30 & 31. T. 1. N. R. 6 W.
 9.62 To a Double W Oak, 36 in. dist. stands in the line.
 40.00 Set a 7/4 to post from which =
 W Oak. 10 in. dist. from N 47 E. 20 links dist. & 9
 Oak. 10 " " " 551 E. 23 " "
 62.07 To a W Oak. 10 in. dist. in the line.
 76.00 " " Branch. 3 links wide, Corner N 40 W.
 79.30 Post cor. of sec. 25 & 36. in Jackson's line.
 Sand but also barrens; low scrub, Oak & Hickory.
 Maple Bush.

- North Petron Sec. 29 & 30 T. 1. N. R. 6 W.
 26.20 To a W Oak, 20 in. dist. in the line.
 40.00 Set a 7/4 to post from which =
 W Oak. 15 in. dist. from N 19 W. 29 links dist. & 9
 Oak. 14 " " " 567 N. 58 " "
 57.46 To a W Oak. 30 in. dist. stands in the line
 70.80 " " W Oak 30 " " " " " "
 80.00 Set a post for the cor. of sec. 19, 20, 29 & 30 from which =
 J. Oak. 20 in. dist. from N 84 W 44 links dist. & 9
 W. Oak. 15 " " " N 38 E. 31 " "
 Sand lies in low ridges Juniper Oak, Hickory.

Each Petron Sec. 29 & 30 T. 1. N. R. 6 W.

T. N. 1 N. R. N. 6 W. 2nd Mer. Ind. 9

- 29.50 To a Brook. 12 links wide, Comes N 50 W.
 40.00 Set a 74 supost from which a (at an arch)
 Hunk 7 10 in. diam. beam. N 37 E. 14 links out; 85
 Ho. 10 " " " S 20 E. 14 " "
 80.00 Interscut the N 3 line at the post cor of lat. 21. 21.
 28 29 Sande lin barren ridges; Tinitw Oak,
 Hick; Oak, Hough & Birch plenty

- West Peteron Lat. 19 430 T. 1. N. R. 6 W.
 3 25 To a Brook. 6 links wide, Comes N 80 E.
 33.16 To a B. Oak. 18 in. diam. Stands in the line.
 40.00 Set a 74 supost from which a
 B. Oak. 24 in. diam. beam. S 21 7 W. 62 links out; 85
 Gum. 8 " " " N 30 E. 32 " "
 59.75 To a B. Oak. 30 in. diam. Stands in the line.
 79.50 Interscut the West Branch at 34 links North of the same
 Post cor of lat. 24 435. T. 1. N. R. 7 W. from which a.
 B. Oak. 20 in. diam. beam. N 33 E. 27 links out; 85
 Hogmoot 7 " " South 7 " "
 Sande lin; Tinitw B. Oak,
 Wednesday Dec. 5. 1804.

- North Peteron Lat. 19 420 T. 1 N. R. 6 W
 2. 75 To a Branch. 6 links wide, Comes N 50 E.
 40.00 Set a 74 supost, from which a
 W Oak, 10 in. diam. beam N 75 E. 36 links out; 85
 Gum. 8 4 " " N 86 W 31 " "
 44.85 To a B. Oak. 22 in. diam. Stands in the line.
 80.00 Set a post for the cor of lat. 17. 18 19 20 from which,
 Jack. Oak 15 in. diam. beam N 48 E. 46 links out; 85
 Red Oak. 14, " " N 70 W 39, "
 Post stands in a Brook 2 links wide, Comes N 6 E.
 Sande lin in low ridges; W Oak & B Oak. some Gum

T. N. 1. N.R. N. 6 W. 2nd Mer Ind.

Thursday Dec. 5. 1804.

Cash Return Dec 17. 1820 T. 1. N.R. 6 W.
 35.00 To a Branch 14 m. dir: corner at 30 W
 40.20 Set ath su. post at av. arb. from which a
 Henry Locush 19 in dir: bears N 89 E. 21 links each
 Gunn 18 " " " S 9 W 52 "
 80.40 Enter at the N 55 line 3 miles North of the post cor off
 Dec. 16. 17. 20 & 21
 Land lies in low ridges Some bottom. Timber
 Oak, Sugar, & Mahogany; Some wet land.

West Return Dec. 18 & 19 T. 1. N.R. 6 W.
 27.43 To a B. Oak 30 in dir: on the line.
 30.40 To a Branch 6 m. dir: bears N 35 E.
 40.00 Set ath su post from which a
 Hogwork 7 in dir: bears N 22 E. 16 links each & 9
 Henry 14 " " " S 82 W 19 "
 65.90 To a Branch 4 links side, corner N 40 W
 71.86 " " Sugar. 12 m. dir: stands on the line.
 72.75 To a Branch 2 links side, corner N 15 W
 80.00 Enter at the West Branch 177 links South of the
 post cor off Dec. 13 & 24. T. 1. N.R. 7 W from which a
 Sugar, 20 in dir: bears N 38 E. 22 links each & 3
 Ash. 21 " " " N 84 W. 31 " "
 Land lies in low ridges Timber N.W. Oak,
 Sugar, Ash & Poplar

North Return Dec. 17 & 18. T. 1. N.R. 6 W.
 35.97 To a Poplar 14 m. dir: stands on the line.
 40.00 Set ath su post from which a
 W Oak. 15 in dir: bears S 54 E 18 links each & 3
 Y Oak. 28 " " " S 23 W 44 "
 78.38 To a W Oak 15 in dir: on the line.

80.00 Set a post for the cor of sec. 7. 8. 17. 18. from which a
B. Oak. 21 in diam. bears N47E. 20 links north; &
Hq. 10 " " " S17W. 48 " "
Sands lies in low ridges. Limits W. Oak, B. Oak,
Poplar, & Buck

East Return Sec. 8 & 17 T. 1 N.R. 6 W.

00.50 To a Brook. 3 links min. Corns W.

40.00 Set a post for the cor of sec. 7. 8. 17. 18. from which a
Hackberry 12 in. diam. bears S88E. 9 links north; &
Elm 36 " " " S13E. 25 " "

61.50 To a Branch. 12 in. diam. bears S20W

67.75 To W. River Left Bank 600 links min.
Thursd. Dec. 6. 1804

80.00 Set a post for the N. 3rd line 30 links north of the post cor.
of sec. 8. 9. 16. & 17. Sands bottom; Limits Buck,
Oak. Sugar, &c. Jan. 27. 1805.

West Return Sec. 7. & 18 T. 1. N.R. 6 W.

24.86 To a Mouth W. Oak 36 in. diam. Sands in the line.

31.50 To a Branch. 2 links min. Corns N.

40.00 Set a post for the cor of sec. 7. 8. 17. 18. from which a
W. Oak. 34 in. diam. bears N5E. 25 links north; &
Buck. 30 " " " S5E. 45 " "

49.88 To a Sum. 30 in. diam. Sands in the line.

61.37 To a W. Oak. 60 " " " " " "

80.00 Set a post for the West Corner of the West 12th line by 149
links north of the post cor of sec. 12 & 13. T. 1 N.R. 7
W from which a
Buck. 36 in. diam. bears N28E. 16 links north; &
Do. 38 " " " S25W. 18 " "
Sands low; & part bottom Limits Oak, Sugar,
& Poplar,

D. No. 1. R.R. No. 6 W. 2nd Main Ind.

North Peteran Ls of 48. T. 1. N. 14. 6 W.
 2.50 To a Brook 3 miles wide, Corner N 20 W.
 17.00 " " Ls. 3, " " " N 10 E.
 40.00 Set a 4th a post from which
 Henry Locust 22 in. diam. trees 45 ft. E. 9 lbs. cut
 & a W. Walnut 18 " " " 35 ft. N. 36 " "
 63.74 To a Red Oak. 36 in. diam. in the line.
 70.68 To the Left Bank of W. River 600 miles wide,
 76.68 " " Right " " " " " Ls. 6. 1804
 80.00 Set a post for the cor. of Ls. 5. 6. 7. & 8. from which
 Sugar 10 in. diam. trees. 30 ft. 16 lbs. cut; & 9
 Birch. 14 " " " North 55 " "
 Shade bottom; Timber Red, Sugar, Walnut, Oak
 & Poplar,
 Jan. 28. 1815.

East Return Tu. 578. T. 1. N. 677.
 9.00 Long Brook. 3 links wide, comes S.
 11.00 " " No. 8 " " "
 40.00 Set a 7/8 sapost from which a (over arch) 1
 Maple 18 in. diam. bears N 10 E. 19 links dist. 8 1/2
 Ash. 24 " " " N 10 E. 12 " "
 58.50 Long Branch. 7 1/2 in. wide, comes N 15 W.
 80.00 Enters at the East Room N. 1 or N 45 line at the fork
 cross at 4. 5. 8 7 9
 Sand bottom; hills; Timber Oak, Birch, Sugar,
 & Poplar.

| | |
|-------|--------------------------------------------------------|
| Wash | Peterson Sep 6 & 7. T. I. N. R. 677. |
| 22.00 | To a Brook Chunks end, Anna 92077. |
| 40.00 | Set a 7/8 cup of fresh funny which a |
| | Wash. 18 in dia's bones N49 W35 hunk, each, 10 |
| | No 23, " " - 10 E 75 " " |
| 80.00 | Intersect the West Bonanza 50 hunk, Smith off set cor. |

389

T. No 1. N.R. No 677. 2nd Mer. Sec.

of sec 1. & 72 and set a post for the cor of sec 6 & 7
 from which is 4 Bent. 33 in. diam. 100 E. 45 N. 100
 and, Sugar, 23. " " 177 E. 28. "
 Sand bottom, 100 Bent, Sugar, & Poplar,

| | |
|-------|---------------------------------------------------------------------------------------------------------|
| North | Between Sec 5 & 6. T. 1. N.R. 677. |
| 22.23 | To a Bent. 18 in. diam. 100 E. 45 N. 100 |
| 36.20 | " " " Oak. 30. " " " " |
| 40.00 | Set a post from which is |
| | 4 Bent. 33 in. diam. 100 E. 45 N. 35 Bent. 24. " " 149 N. 10. " " |
| 65.20 | To a Bent. Oak. 25 in. diam. 100 E. 45 N. 100 |
| 80.75 | Intersect the N. Boundary 79 miles ^{or of} cor of sec 31 & 32 T. 2 N.R. 677. from which is. |
| | 4 Bent. 22 in. diam. 100 E. 45 N. 54 Bent. 10. " " 171 E. 33. " " |
| | Sand bed; 100 Oak, |

Means of White River; Commencing in the
 East Boundary of sec. 24 T. 1. N.R. 677. thence down
 stream on the Left Bank (nearly)

| | | |
|---------|-------|-------------------------------------|
| N 63 W. | 10.00 | |
| N 74 W. | 12.00 | |
| N 80 W. | 7.00 | at 560 a Brook. 50 miles from South |
| N 70 W. | 8.00 | |
| N 58 W. | 10.00 | |
| N 45 W. | 10.00 | |
| N 30 W. | 10.00 | |
| N 50 W. | 4.00 | |
| N 81 W. | 6.00 | |

J. N. 1 N.H. N. 6 M. 2nd Mer. Sur

G75 M 27.80 To the line between Sur. 13 & 14.

G75 M 15.40

G84 M 21.00

G70 M 10.00

G56 M 12.00

G45 M 8.00

G30 M 25.00

G45 M 7.74

G55 M 10.00 at 150 lbs the line between Sur. 22 & 23
Oct. 4th 1805

G70 M 10.00

Wash 10.00.

N75 M 7.00

N55 M 13.00

N45 M 8.00

N33 M 10.00

N25 M 12.00

N15 M 15.00

N8 M 7.00. At 340 Intrench the line between Sur. 15 & 20

N25 M 8.00

N40 M 6.00

N60 M 7.16 To the line between Sur. 15 & 16.

N70 M 6.00

N85 M 8.00

G62 M 10.00

G55 M 13.00

G80 M 7.00

N60 M 8.00 To a Brook 20 links east, Corner ^{from} G M

N40 M 15.00.

T. No. 1. N.R. No. 672nd ^{new} ^{Ind.}

391

| | | |
|----------|-------|-------------------------------------------------------------------------|
| Nuth | 10.00 | |
| N. 24 E. | 9.50 | |
| N 45 E. | 6.00 | |
| N 10 W. | 6.00 | |
| N 36 W. | 12.00 | |
| N 70 W. | 12.00 | |
| N 80 W. | 17.00 | |
| N 60 W. | 11.00 | |
| N 40 W. | 6.00 | |
| N 25 W. | 5.00 | |
| N 10 W. | 10.00 | at 500 links at North 50 links min, Corner ^{for} _{W.} |
| Nuth | 6.00 | |
| N 20 W. | 12.00 | |
| N 41 W. | 14.00 | |
| N 59 W. | 30.00 | |
| N 61 | 15.00 | |
| S 75 W. | 18.00 | |
| S 57 W. | 10.00 | |
| S 40 W. | 9.00 | |
| S 14 W. | 10.00 | |
| S 3 E. | 9.00 | |
| S 15 E. | 16.00 | |
| S 20 W. | 6.00 | |
| S 45 W. | 5.00 | |
| S 65 W. | 10.00 | |
| S 85 W. | 6.00 | |
| N 80 W. | 8.00 | |
| N 60 W. | 7.00 | |
| N 45 W. | 10.60 | Intersect the East Boundary few. 12 T. 1. N.R. 7 W. |
| | | 5 th Oct. 1805. |

8. 12. 50.

Surveyed by
Robt. Stille & Jacobt. Furber.
Depts Surveyors.

T^h N^o 1. N^o 6 R. N^o 6 N^o 2nd Mer. Ind^s

Acquiesce that the foregoing Transcript of the Guild
notes of Township N^o 1. North of Range N^o 6 N^o 2nd
Principal Mer. Ind^s has been compared
with the Original notes in this Office and found to
be correct.

Surveyor General's Office
Cincinnati May 17 1841

E. S. Haines
Sur. Gen^l